

U.S. Patent Appln. S.N. 10/069,145
AMENDMENT

PATENT

IN THE CLAIMS:

Please cancel claim 14 and amend claims 8-10, 12 and 15, as shown below in the detailed listing of all claims which are, or were, in the application:

Claims 1-7 (Canceled)

8. (Currently amended) A composition for controlled release of a biologically active agent from a carrier, said composition comprising consisting essentially of a biologically active agent which is heparin or a related biologically active acidic polysaccharide, and a carrier which is a sol-gel derived silica xerogel, wherein the xerogel is derived from a tetraalkoxysilane and part of the tetraalkoxysilane is replaced by an organomodified alkylsubstituted alkoxy silane, and wherein said composition is biodegradable.

9. (Currently amended) The composition of claim 8, wherein said tetraalkoxysilane is tetraethoxysilane (TEOS), and said organomodified alkoxy silane is an alkylsubstituted alkoxy silane.

U.S. Patent Appln. S.N. 10/069,145
AMENDMENT

PATENT

10. (Currently amended) The composition of ~~claim 9~~ claim 8, wherein said alkylsubstituted alkoxy silane is a member selected from the group consisting of methyltriethoxysilane (METES), dimethyldiethoxysilane (DMDES) and ethyltriethoxysilane (ETES).

11. (Previously presented) The composition of claim 8, wherein said biologically active agent is heparin and which is present in an amount of 5 to 30 weight percent, calculated on the air dried xerogel.

12. (Currently amended) A method for the preparation of a composition of claim 8, consisting essentially of
a) hydrolysing an alkoxy silane and an organomodified alkyl substituted alkoxy silane in the presence of a catalyst,
b) optionally adjusting the pH to a value suitable for the biologically active agent,
c) adding the biologically active agent,
d) allowing the hydroxysilane to polymerize, and optionally
e) removing water and alcohol formed in the hydrolyzation from the mixture.

U.S. Patent Appln. S.N. 10/069,145
AMENDMENT

PATENT

13. (Previously presented) The method of claim 12, wherein the alkoxy silane is a tetraalkoxy silane.

14. (Canceled)

15. (Currently amended) The method of ~~claim 14~~ claim 12, wherein said alkylsubstituted alkoxy silane is at least one member of the group consisting of methyltriethoxysilane (METES), dimethyldiethoxysilane (DMDES) and ethyltriethoxysilane (ETES).

16. (Previously presented) The method of claim 12, wherein nitric acid or acetic acid is used as a catalyst.